

Subject: New Equipment

REF: 60.402/4

FLEXMASTER



The Novatech Flexmaster is one of the most flexible and modern machines for handling standard and maxi cassettes.

The PLC control unit is interlocked with a joystick control unit placed in the pulling tractor cabin.

The Flexmaster comes with the following equipment as standard: PLC control unit, alarm system with storage of the latest 100 alarms, dish break system, standard light system and hydraulic system with proportional valve system.

As optional the Flexmaster can be delivered with:



- Video camera system in rear end
- Sound system when going reverse
- System for standard and maxi cassettes
- 3,5" kingpin
- Remote connection

Flexmaster Type	4090	45120
Length	14820mm	16620mm
Width	2280mm	2280/2500mm
Lifting Height Minimum	665mm	670mm
Lifting Height Maximum	1120mm	1120mm
Steering Angle	Max 15 deg	Max 15 deg
Capacity	90 ton	120 ton



For more information:

NOVATECH Aps
Skudehavnsvej 30
DK-9000 Aalborg

Phone: +45 98165009
Fax: +45 98168097
E-mail: sale@novatech.dk
Web: www.novatech.dk



Prod:		Drawing number		Description	
Sheet: 1 of 2		60.402		Flexmaster 4090	
Scale	Mass	Metricmm			Skudehavsvej 30, DK9000 Aalborg
1:20	12 t				Phone: +45 98165009
Copyright NOVATECH ApS. All rights reserved. Copying and reproduction not permitted. Document contains confidential information. This document is property of NOVATECH ApS.					



Prod:		Drawing number		Description	
Sheet: 1 of 3		60.404		flexmaster 45120	
Scale	Mass	Metricmm			Skudehavsvej 30, DK9000 Aalborg
1:20	17 t				Phone: +45 98165009
Copyright NOVATECH ApS. All rights reserved. Copying and reproduction not permitted. Document contains confidential information. This document is property of NOVATECH ApS.					

